



SMART POOL TECHNOLOGY
MADE IN AUSTRIA

PERAQUA®



TRANSPARENT
LID

BLACK
LID

PERAQUA VIENNA II	
Model	Capacity
100	100
150	150
200	200
250	250
300	300
350	350
400	400
450	450
500	500
550	550
600	600
650	650
700	700
750	750
800	800
850	850
900	900
950	950
1000	1000

<40 °C
OPERATION TEMP.

2,5 bar
OPERATION PRESSURE

POLYESTER FILTER LAMINATED VIENNA II

IN TYPES
SIDE MOUNT/
TOP MOUNT

**ESPECIALLY
MAINTENANCE-FRIENDLY**
Swivel filter arm for easy filling and
drain set for easy emptying

POLYESTER FILTER LAMINATED VIENNA II

CHARACTERISTICS

Laminated polyester filter for private pools with reinforced fibre glass filter body.

Available in types Side Mount and Top Mount as well as large filter with dimensions D950 – D1400 mm (SM).

Filter body in colour RAL5015 blue, with transparent lid screw type or optionally with black flange filter lid, lid is easy to open.

5 years guarantee for filter tank tightness



TECHNICAL DATA

2,5 bar
OPERATION
PRESSURE

<40 °C
OPERATION
TEMPERATURE

PRODUCT DETAILS

- » UV resistant
- » swivel filter arm for easy filling with filter media
- » drainage kit for easy emptying of water
- » Integrated aerating to avoid air bubbles in the filter
- » at max. operation temperature of 50 °C max. operation pressure is 1 bar
- » incl. manometer
- » incl. piping set
- » incl. original Praher SM/TM 1½" or 2" 7-position valve, also available without valve and piping set on request
- » personalized colours and label from 100 pcs. against surcharge



Transparent lid (D210 mm)
Optionally, exact venting with Praher S4 laboratory ball valve for filter series Vienna II d400-900 only



Drainage kit incl. drain valve with hose connection (parts delivered loose, not included in filter package)

AUTOMATIC FILTER CONTROL

CREATE YOUR OWN FULLY
AUTOMATIC POOL FILTER

Select from the wide range the filter dimension and the Aquastar® model you need. We install the original Praher 7-position backwash valve included in the filter set. Of course all Aquastar® models can be delivered with the matching piping sets for all common filter brands for retro-fit and automatization of your manual filter system. All Aquastar® models are suitable for 3" valves.



AUTOMATIC




WIFI-CONTROL




FOR LARGE FILTER

DETAILS SIDE MOUNT



Dimensions d400 - d900




Dimensions d950-1400

PROD. NO.	Ø Filter B mm	A mm	C mm	D mm	CONNECTION	FILTRATION AREA m ²	Flow m ³ /h at 50 m ³ /h	NATURE WORKS KG	GROSS KG
7300500* 7301455**	400	565	250	375	1,5"	0,13	6,5	40	12
73005001* 7301455**	510	790	350	475	1,5"	0,20	10,2	80	18
7300502* 7301457**	620	860	400	525	1,5"	0,30	15,1	120	23,5
7300503* 7301487**	680	915	420	545	2"	0,36	18,14	140	27
7300504* 7301488**	750	1020	455	595	2"	0,44	22	180	33
7300505* 7301489**	900	1020	455	595	2"	0,64	31,8	260	42

* schwarzer Deckel, ** transparenter Deckel

PROD. NO.	Ø Filter B mm	A mm	C mm	D mm	FLANGE CONNECTION mm	FILTRATION AREA m ²	FLOW m ³ /h at 50 m ³ /h	NATURE WORKS KG	GROSS KG
7300542	950	675	490	740	75	0,70	35	780	62
7300543	1100	805	400	525	90	0,96	47,5	1060	81
7300544	1200	955	455	595	90	1,13	56	1260	93
7300545	1400	1300	455	595	110	1,54	77	1400	120

DETAILS TOP MOUNT



PROD. NO.	Ø Filter B mm	A mm	C mm	CONNECTION	FILTRATION AREA m ²	FLOW m ³ /h at 50 m ³ /h	NATURE WORKS kg	GROSS KG
7300506	400	795	535	1,5"	0,13	6,5	40	12
7300507	510	1020	760	1,5"	0,20	10,2	80	18
7300508	620	1090	830	1,5"	0,30	15,1	120	23,5